

NSGDatacom



**MARK II
PATCH AND MONITOR
CORDS**

MARK II
EPC
PATCH CORDS

MARK II EPC PATCH CORDS IN FEET

293500001 2935000101		EPC-1-1 BROWN EPC-1-1 BLACK	THIS IS A 1 FOOT LONG PATCH CORD WITH MARK 2 PATCH CIRCUIT BREAKING PLUGS ON BOTH ENDS.. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
293500002 2935000102		EPC-1-2 BLACK EPC-1-2 BROWN	SAME AS ABOVE BUT 2 FEET LONG.
293500003 2935000103		EPC-1-3 BLACK EPC-1-3 BROWN	SAME AS ABOVE BUT 3 FEET LONG.
293500004 2935000104		EPC-1-4 BLACK EPC-1-4 BROWN	SAME AS ABOVE BUT 4 FEET LONG.
293500005 2935000105		EPC-1-5 BLACK EPC-1-5 BROWN	SAME AS ABOVE BUT 5 FEET LONG.
29350000YY 29350001YY		EPC-1-YY BLACK EPC-1-YY BROWN	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH



EPC-1 BROWN



EPC-1 BLACK

MARK II EPC PATCH CORDS IN METERS

GTCB04736M GTC600250D		EPC-1-0.5M BLACK EPC-1-.05M BROWN	THIS IS A ½ METER LONG PATCH CORD WITH MARK 2 PATCH CIRCUIT BREAKING PLUGS ON BOTH ENDS. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB04737M GTC600252D		EPC-1-1.0M BLACK EPC-1-1.0M BROWN	SAME AS ABOVE BUT 1 METER LONG.
GTCB04738M GTC600253D		EPC-1-1.5M BLACK EPC-1-1.5M BROWN	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB04739M GTC600257D		EPC-1-2.0M BLACK EPC-1-2.0M BROWN	SAME AS ABOVE BUT 2 METERS LONG.
GTCB04741M GTC600260D		EPC-1-3.0M BLACK EPC-1-3.0M BROWN	SAME AS ABOVE BUT 3 METERS LONG
GTCB04742M GTC600260D		EPC-1-4.0M BLACK EPC-1-4.0M BROWN	SAME AS ABOVE BUT 4 METERS LONG
GTCB04743M GTC600262D		EPC-1-5.0M BLACK EPC-1-5.0M BROWN	SAME AS ABOVE BUT 5 METERS LONG



EPC-1 BROWN



EPC-1 BLACK

OTHER METER LENGTHS AVAILABLE, PLEASE
CONTACT *NSGDatacom* FOR PART NUMBER
AND PRICING

**MARK I DPC TO MARK II
EPC PATCH CORDS**

MARK I DPC-12 TO MARK II EPC PATCH CORDS IN FEET

2930100001		DPC-12-EPC-1-1	THIS IS A 1 FOOT LONG PATCH CORD WITH A MARK1, 12 CIRCUIT PATCH PLUG ON ONE END AND A MARK 2 PATCH CIRCUIT BREAKING PLUG ON THE OTHER END. THESE CABLES ARE CAPABLE OF PATCHING BETWEEN ALL MARK 1, 12 CIRCUIT, AND MARK 2 DYNAPATCH® AND DYNASWITCH® MODULES AND FROM MARK 1, 12 CIRCUIT, DYNAPATCH® AND DYNASWITCH® MODULES TO EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
2930100002		DPC-12-EPC-1-2	SAME AS ABOVE BUT 2 FEET LONG.
2930100003		DPC-12-EPC-1-3	SAME AS ABOVE BUT 3 FEET LONG.
2930100004		DPC-12-EPC-1-4	SAME AS ABOVE BUT 4 FEET LONG.
2930100005		DPC-12-EPC-1-5	SAME AS ABOVE BUT 5 FEET LONG.
29301000YY		DPC-12-EPC-1-YY	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH

MARK I DPC-16 TO MARK II EPC PATCH CORDS IN FEET

2931100001		DPC-16-EPC-1-1	THIS IS A 1 FOOT LONG PATCH CORD WITH A MARK1, 16 CIRCUIT PATCH PLUG ON ONE END AND A MARK 2 PATCH CIRCUIT BREAKING PLUG ON THE OTHER END. THESE CABLES ARE CAPABLE OF PATCHING BETWEEN ALL MARK 1, 16 CIRCUIT, AND MARK 2 DYNAPATCH® AND DYNASWITCH® MODULES AND FROM MARK 1, 16 CIRCUIT, DYNAPATCH® AND DYNASWITCH® MODULES TO EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
2931100002		DPC-16-EPC-1-2	SAME AS ABOVE BUT 2 FEET LONG.
2931100003		DPC-16-EPC-1-3	SAME AS ABOVE BUT 3 FEET LONG.
2931100004		DPC-16-EPC-1-4	SAME AS ABOVE BUT 4 FEET LONG.
2931100005		DPC-16-EPC-1-5	SAME AS ABOVE BUT 5 FEET LONG.
29311000YY		DPC-16-EPC-1-YY	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH

MARK II
EPC PATCH
CROSSOVER CORDS

MARK II EPC PATCH CROSSOVER CORDS IN FEET

<p>2935080108 2935081108</p>		<p>EPC-1-V01-8 BROWN EPC-1-V01-8 BLACK</p>	<p>THIS IS AN 8 FOOT LONG CROSSOVER PATCH CORD WITH MARK 2 PATCH CIRCUIT BREAKING PLUGS ON BOTH ENDS. THE CROSSOVER WIRING IS STATED IN BOTH THE EIA CIRCUIT AND THE MARK II CIRCUIT, SEE CONVERSION CHART FOR MORE INFORMATION. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.</p> <p>WIRING: EIA (2-3) (3-2) (4-8) (5-20) (6-20) (7-7) (8-4) (9-9) (10-10) (11-11) (12-12) (13-13) (14-14) (15-15) (16-16) (17-17) (18-18) (19-19) (20-6) (20-5) (21-21) (22-22) (23-23) (24-24) (25-25) MARK II [A-B] [B-A] [C-H] [D-7] [E-7] [F-F] [H-C] [J-J] [K-K] [L-L] [M-M] [N-N] [1-1] [2-2] [3-3] [4-4] [5-5] [6-6] [7-E] [7-D][8-8] [9-9] [10-10] [11-11] [12-12]</p>
<p>2935080203 2935081203</p>		<p>EPC-1-V02-3 BROWN EPC-1-V02-3 BLACK</p>	<p>SAME DESCRIPTION AS EPC-1-V01-8 BUT 3 FEET LONG AND CROSSOVER WIRING IS DIFFERENT.</p> <p>WIRING: EIA (2-3) (3-2) (4-8) (5-11) (6-20) (7-7) (8-4) (9-9) (10-10) (11-5) (12-12) (13-13) (14-14) (15-18) (16-16) (17-24) (18-15) (19-19) (20-6) (21-21) (22-25) (23-23) (24-17) (25-22) MARK II [A-B] [B-A] [C-H] [D-L] [E-7] [F-F] [H-C] [J-J] [K-K] [L-D] [M-M] [N-N] [1-1] [2-5] [3-3] [4-11] [5-2] [6-6] [7-E] [8-8] [9-12] [10-10] [11-4] [12-9]</p>
<p>2935080202 2935081202</p>		<p>EPC-1-V02-2 BROWN EPC-1-V02-2 BLACK</p>	<p>SAME DESCRIPTION AND CROSSOVER WIRING AS EPC-1-V02-3 BUT 2 FEET LONG.</p>
<p>2935080204 2935081204</p>		<p>EPC-1-V02-4 BROWN EPC-1-V02-4 BLACK</p>	<p>SAME DESCRIPTION AND CROSSOVER WIRING AS EPC-1-V02-3 BUT 4 FEET LONG.</p>

MARK II EPC PATCH CROSSOVER CORDS IN FEET

<p>2935080403 2935081403</p>		<p>EPC-1-V04-3 BROWN EPC-1-V04-3 BLACK</p>	<p>SAME DESCRIPTION AS EPC-1-V01-8 BUT 3 FEET LONG AND CROSSOVER WIRING IS DIFFERENT. WIRING: EIA (2-3) (3-2) (4-4) (5-8) (6-20) (7-7) (8-5) (9-9) (10-10) (11-11) (12-12) (13-13) (14-14) (15-17) (16-16) (17-17) (18-18) (19-19) (20-6) (20-5) (21-21) (22-22) (23-23) (24-24) (25-25) MARK II [A-B] [B-A] [C-C] [D-H] [E-7] [F-F] [H-D] [J-J] [K-K] [L-L] [M-M] [N-N] [1-1] [2-4] [3-3] [4-2] [5-5] [6-6] [7-2] [7-E] [8-8] [9-9] [10-10] [11-11] [12-12]</p>
<p>2935080502 2935081502</p>		<p>EPC-1-V05-2 BROWN EPC-1-V05-2 BLACK</p>	<p>SAME DESCRIPTION AS EPC-1-V01-8 BUT 2 FEET LONG AND CROSSOVER WIRING IS DIFFERENT. WIRING: EIA (2-3) (3-2) (4-5) (5-4) (6-20) (7-7) (8-20) (9-9) (10-10) (11-11) (12-12) (13-13) (14-14) (15-15) (16-16) (17-17) (18-18) (19-19) (20-6-8) (21-21) (22-22) (23-23) (24-24) (25-25) MARK II [A-B] [B-A] [C-H] [D-L] [E-7] [F-F] [H-7] [J-J] [K-K] [L-L] [M-M] [N-N] [1-1] [2-2] [3-3] [4-4] [5-2] [6-6] [7-H-E] [8-8] [9-9] [10-10] [11-11] [12-12].</p>
<p>2935080602 2935081602</p>		<p>EPC-1-V06-2 BROWN EPC-1-V06-2 BLACK</p>	<p>SAME DESCRIPTION AS EPC-1-V01-8 BUT 2 FEET LONG AND CROSSOVER WIRING IS DIFFERENT. WIRING: EIA (2-3) (3-2) (4-4) (5-5) (6-6) (7-7) (8-8) (9-9) (10-10) (11-11) (12-12) (13-13) (14-14) (15-15) (16-16) (17-17) (18-18) (19-19) (20-20) (21-21) (22-22) (23-23) (24-24) (25-25) MARK II [A-B] [B-A] [C-C] [D-D] [E-E] [F-F] [H-H] [J-J] [K-K] [L-L] [M-M] [N-N] [1-1] [2-2] [3-3] [4-4] [5-5] [6-6] [7-7] [8-8] [9-9] [10-10] [11-11] [12-12].</p>
<p>2935080606 2935081606</p>		<p>EPC-1-V06-6 BROWN EPC-1-V06-6 BLACK</p>	<p>SAME DESCRIPTION AND CROSSOVER WIRING AS EPC-1-V06-2 BUT 6 FEET LONG.</p>


MARK II EPC PATCH CROSSOVER CORDS IN FEET

2935080601 2935081601		EPC-1-V06-1 BROWN EPC-1-V06-1 BLACK	SAME DESCRIPTION AND CROSSOVER WIRING AS EPC-1-V06-2 BUT 1 FOOT LONG.
2935080603 2935081603		EPC-1-V06-3 BROWN EPC-1-V06-3 BLACK	SAME DESCRIPTION AND CROSSOVER WIRING AS EPC-1-V06-2 BUT 3 FEET LONG.
2935080XYY 2935081XYY		EPC-1-V0X-YY BROWN EPC-1-V0X-YY BLACK	SAME DESCRIPTION AS EPC-1-V06-2 BUT, CROSSOVER WIRING VERSION X AND FOOTAGE YY TO BE CUSTOMER SPECIFIED AT TIME OF ORDER.

MARK II
EPC PATCH / EIA (V.24)
CORDS

MARK II EPC PATCH / EIA (V.24) FEMALE CORDS IN FEET


2935060001 2935060101		EPC-1-EIA-F-1 BROWN EPC-1-EIA-F-1 BLACK	THIS IS A 1 FOOT LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A DB25F WITH 440 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
2935060002 2935060102		EPC-1-EIA-F-2 BROWN EPC-1-EIA-F-2 BLACK	SAME AS ABOVE BUT 2 FEET LONG.
2935060003 2935060103		EPC-1-EIA-F-3 BROWN EPC-1-EIA-F-3 BLACK	SAME AS ABOVE BUT 3 FEET LONG.
2935060004 2935060104		EPC-1-EIA-F-4 BROWN EPC-1-EIA-F-4 BLACK	SAME AS ABOVE BUT 4 FEET LONG.
2935060005 2935060105		EPC-1-EIA-F-5 BROWN EPC-1-EIA-F-5 BLACK	SAME AS ABOVE BUT 5 FEET LONG.
29350600YY 29350601YY		EPC-1-EIA-F-YY BROWN EPC-1-EIA-F-YY BLACK	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH



EPC-1-EIA-F

MARK II EPC PATCH / V.24 (EIA) FEMALE CORDS IN METERS

GTC600319D GTCB05590M		EPC-1-V24F-0.5M BROWN EPC-1-V24F-0.5M BLACK	THIS IS A ½ METER LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A DB25F WITH 440 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTC600320D GTCB05581M		EPC-1-V24F-1.0M BROWN EPC-1-V24F-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTC600321D GTCB05591M		EPC-1-V24F-1.5M BROWN EPC-1-V24F-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTC600322D GTCB05582M		EPC-1-V24F-2.0M BROWN EPC-1-V24F-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTC600324D GTCB05583M		EPC-1-V24F-3.0M BROWN EPC-1-V24F-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTC600326M GTCB05584M		EPC-1-V24F-4.0M BROWN EPC-1-V24F-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTC600328M GTCB05585M		EPC-1-V24F-5.0M BROWN EPC-1-V24F-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG



EPC-1-V24F

MARK II EPC PATCH / V.24 (EIA) FEMALE CORDS IN METERS

GTC601319D GTCB15590M		EPC-1-V24F-M2.6-0.5M BROWN EPC-1-V24F-M2.6-0.5M BLACK	THIS IS A ½ METER LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A DB25F WITH M2.6 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTC601320D GTCB15581M		EPC-1-V24F-M2.6-1.0M BROWN EPC-1-V24F-M.26-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTC601321D GTCB15591M		EPC-1-V24F-M2.6-1.5M BROWN EPC-1-V24F-M2.6-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTC601322D GTCB15582M		EPC-1-V24F-M2.6-2.0M BROWN EPC-1-V24F-M2.6-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTC601324D GTCB15583M		EPC-1-V24F-M2.6-3.0M BROWN EPC-1-V24F-M2.6-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTC601326M GTCB15584M		EPC-1-V24F-M2.6-4.0M BROWN EPC-1-V24F-M2.6-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTC601328M GTCB15585M		EPC-1-V24F-M2.6-5.0M BROWN EPC-1-V24F-M2.6-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II EPC PATCH / EIA (V.24) MALE CORDS IN FEET

2935070001 2935070101		EPC-1-EIA-M-1 BROWN EPC-1-EIA-M-1 BLACK	THIS IS A 1 FOOT LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A DB25M WITH 440 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
2935070002 2935070102		EPC-1-EIA-M-2 BROWN EPC-1-EIA-M-2 BLACK	SAME AS ABOVE BUT 2 FEET LONG.
2935070003 2935070103		EPC-1-EIA-M-3 BROWN EPC-1-EIA-M-3 BLACK	SAME AS ABOVE BUT 3 FEET LONG.
2935070004 2935070104		EPC-1-EIA-M-4 BROWN EPC-1-EIA-M-4 BLACK	SAME AS ABOVE BUT 4 FEET LONG.
2935070005 2935070105		EPC-1-EIA-M-5 BROWN EPC-1-EIA-M-5 BLACK	SAME AS ABOVE BUT 5 FEET LONG.
29350700YY 29350701YY		EPC-1-EIA-M-YY BROWN EPC-1-EIA-M-YY BLACK	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH

MARK II EPC PATCH / V.24 (EIA) MALE CORDS IN METERS

GTC600299D GTCB05586M		EPC-1-V24M-0.5M BROWN EPC-1-V24M-0.5M BLACK	THIS IS A ½ METER LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A DB25M WITH 440 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTC600300D GTCB05576M		EPC-1-V24M-1.0M BROWN EPC-1-V24M-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTC600301M GTCB05587M		EPC-1-V24M-1.5M BROWN EPC-1-V24M-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTC600302D GTCB05577M		EPC-1-V24M-2.0M BROWN EPC-1-V24M-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTC600304M GTCB05578M		EPC-1-V24M-3.0M BROWN EPC-1-V24M-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTC600306M GTCB05579M		EPC-1-V24M-4.0M BROWN EPC-1-V24M-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTC600308M GTCB05580M		EPC-1-V24M-5.0M BROWN EPC-1-V24M-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II EPC PATCH / V.24 (EIA) MALE CORDS IN METERS

GTC601299D GTCB15586M		EPC-1-V24M-M2.6-0.5M BROWN EPC-1-V24M-M2.6-0.5M BLACK	THIS IS A ½ METER LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A DB25M WITH M2.6 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTC601300D GTCB15576M		EPC-1-V24M-M2.6-1.0M BROWN EPC-1-V24M-M.26-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTC601301M GTCB15587M		EPC-1-V24M-M2.6-1.5M BROWN EPC-1-V24M-M2.6-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTC601302D GTCB15577M		EPC-1-V24M-M2.6-2.0M BROWN EPC-1-V24M-M2.6-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTC601304M GTCB15578M		EPC-1-V24M-M2.6-3.0M BROWN EPC-1-V24M-M2.6-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTC601306M GTCB15579M		EPC-1-V24M-M2.6-4.0M BROWN EPC-1-V24M-M2.6-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTC601308M GTCB15580M		EPC-1-V24M-M2.6-5.0M BROWN EPC-1-V24M-M2.6-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II
EPC PATCH / X.21
CORDS

MARK II EPC PATCH / X.21 FEMALE CORDS IN METERS

GTCB03535M GTCB06342M		EPC-1-X21F-0.5M BROWN EPC-1-X21F-0.5M BLACK	THIS IS A ½ METER LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A DB15F WITH 440 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB03536M GTCB06337M		EPC-1-X21F-1.0M BROWN EPC-1-X21F-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB03348M GTCB06343M		EPC-1-X21F-1.5M BROWN EPC-1-X21F-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB03537M GTCB06338M		EPC-1-X21F-2.0M BROWN EPC-1-X21F-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB03347M GTCB06339M		EPC-1-X21F-3.0M BROWN EPC-1-X21F-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB03538M GTCB06340M		EPC-1-X21F-4.0M BROWN EPC-1-X21F-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB03539M GTCB06341M		EPC-1-X21F-5.0M BROWN EPC-1-X21F-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

MARK II EPC PATCH / X.21 FEMALE CORDS IN METERS

GTCB13535M GTCB16342M		EPC-1-X21F-M2.6-0.5M BROWN EPC-1-X21F-M2.6-0.5M BLACK	THIS IS A ½ METER LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A DB15F WITH M2.6 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB13536M GTCB16337M		EPC-1-X21F-M2.6-1.0M BROWN EPC-1-X21F-M.26-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB13348M GTCB16343M		EPC-1-X21F-M2.6-1.5M BROWN EPC-1-X21F-M2.6-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB13537M GTCB16338M		EPC-1-X21F-M2.6-2.0M BROWN EPC-1-X21F-M2.6-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB13347M GTCB16339M		EPC-1-X21F-M2.6-3.0M BROWN EPC-1-X21F-M2.6-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB13538M GTCB16340M		EPC-1-X21F-M2.6-4.0M BROWN EPC-1-X21F-M2.6-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB13539M GTCB16341M		EPC-1-X21F-M2.6-5.0M BROWN EPC-1-X21F-M2.6-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II EPC PATCH / X.21 MALE CORDS IN METERS

GTCB03546M GTCB06331M		EPC-1-X21M-0.5M BROWN EPC-1-X21M-0.5M BLACK	THIS IS A ½ METER LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A DB15M WITH 440 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB03540M GTCB06332M		EPC-1-X21M-1.0M BROWN EPC-1-X21M-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB03547M GTCB06330M		EPC-1-X21M-1.5M BROWN EPC-1-X21M-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB03541M GTCB06333M		EPC-1-X21M-2.0M BROWN EPC-1-X21M-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB03542M GTCB06334M		EPC-1-X21M-3.0M BROWN EPC-1-X21M-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB03543M GTCB06335M		EPC-1-X21M-4.0M BROWN EPC-1-X21M-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB03544M GTCB06336M		EPC-1-X21M-5.0M BROWN EPC-1-X21M-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG



EPC-1-X21M BLACK

**OTHER METER LENGTHS AVAILABLE, PLEASE
CONTACT *NSGDatacom* FOR PART NUMBER
AND PRICING**

MARK II EPC PATCH / X.21 MALE CORDS IN METERS

GTCB13546M GTCB16331M		EPC-1-X21M-M2.6-0.5M BROWN EPC-1-X21M-M2.6-0.5M BLACK	THIS IS A ½ METER LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A DB15F WITH M2.6 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB13540M GTCB16332M		EPC-1-X21M-M2.6-1.0M BROWN EPC-1-X21M-M.26-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB13547M GTCB16330M		EPC-1-X21M-M2.6-1.5M BROWN EPC-1-X21M-M2.6-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB13541M GTCB16333M		EPC-1-X21M-M2.6-2.0M BROWN EPC-1-X21M-M2.6-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB13542M GTCB16334M		EPC-1-X21M-M2.6-3.0M BROWN EPC-1-X21M-M2.6-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB13543M GTCB16335M		EPC-1-X21M-M2.6-4.0M BROWN EPC-1-X21M-M2.6-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB13544M GTCB16336M		EPC-1-X21M-M2.6-5.0M BROWN EPC-1-X21M-M2.6-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II
EPC PATCH / V.35
CORDS

MARK II EPC PATCH / V.35 U FEMALE CORDS IN FEET

2935010001 2935010101		EPC-1-V35W-F-1 BROWN EPC-1-V35W-F-1 BLACK	THIS IS A 1 FOOT LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A V.35F CONNECTOR WITH WINCHESTER HARDWARE AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
2935010002 2935010102		EPC-1- V35W -F-2 BROWN EPC-1- V35W -F-2 BLACK	SAME AS ABOVE BUT 2 FEET LONG.
2935010003 2935010103		EPC-1- V35W -F-3 BROWN EPC-1- V35W -F-3 BLACK	SAME AS ABOVE BUT 3 FEET LONG.
2935010004 2935010104		EPC-1- V35W -F-4 BROWN EPC-1- V35W -F-4 BLACK	SAME AS ABOVE BUT 4 FEET LONG.
2935010005 2935010105		EPC-1- V35W -F-5 BROWN EPC-1- V35W -F-5 BLACK	SAME AS ABOVE BUT 5 FEET LONG.
29350100YY 29350101YY		EPC-1- V35W -F-YY BROWN EPC-1- V35W -F-YY BLACK	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH

MARK II EPC PATCH / V.35 U FEMALE CORDS IN FEET

2935040001 2935040101		EPC-1-V35A-F-1 BROWN EPC-1-V35A-F-1 BLACK	THIS IS A 1 FOOT LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A V.35F CONNECTOR WITH AMP HARDWARE AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
2935040002 2935040102		EPC-1- V35A -F-2 BROWN EPC-1- V35A -F-2 BLACK	SAME AS ABOVE BUT 2 FEET LONG.
2935040003 2935040103		EPC-1- V35A -F-3 BROWN EPC-1- V35A -F-3 BLACK	SAME AS ABOVE BUT 3 FEET LONG.
2935040004 2935040104		EPC-1- V35A -F-4 BROWN EPC-1- V35A -F-4 BLACK	SAME AS ABOVE BUT 4 FEET LONG.
2935040005 2935040105		EPC-1- V35A -F-5 BROWN EPC-1- V35A -F-5 BLACK	SAME AS ABOVE BUT 5 FEET LONG.
29350400YY 29350401YY		EPC-1- V35A-F-YY BROWN EPC-1- V35A -F-YY BLACK	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH

MARK II EPC PATCH / V.35 U MALE CORDS IN FEET

2935020001 2935020101		EPC-1-V35W-M-1 BROWN EPC-1-V35W-M-1 BLACK	THIS IS A 1 FOOT LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A V.35M CONNECTOR WITH WINCHESTER HARDWARE AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
2935020002 2935020102		EPC-1-V35W-M-2 BROWN EPC-1-V35W-M-2 BLACK	SAME AS ABOVE BUT 2 FEET LONG.
2935020003 2935020103		EPC-1-V35W-M-3 BROWN EPC-1-V35W-M-3 BLACK	SAME AS ABOVE BUT 3 FEET LONG.
2935020004 2935020104		EPC-1-V35W-M-4 BROWN EPC-1-V35W-M-4 BLACK	SAME AS ABOVE BUT 4 FEET LONG.
2935020005 2935020105		EPC-1-V35W-M-5 BROWN EPC-1-V35W-M-5 BLACK	SAME AS ABOVE BUT 5 FEET LONG.
29350200YY 29350201YY		EPC-1-V35W-M-YY BROWN EPC-1-V35W-M-YY BLACK	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH

MARK II EPC PATCH / V.35 U MALE CORDS IN FEET

2935030001 2935030101		EPC-1-V35A-M-1 BROWN EPC-1-V35A-M-1 BLACK	THIS IS A 1 FOOT LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A V.35M CONNECTOR WITH AMP HARDWARE AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
2935030002 2935030102		EPC-1-V35A-M-2 BROWN EPC-1-V35A-M-2 BLACK	SAME AS ABOVE BUT 2 FEET LONG.
2935030003 2935030103		EPC-1-V35A-M-3 BROWN EPC-1-V35A-M-3 BLACK	SAME AS ABOVE BUT 3 FEET LONG.
2935030004 2935030104		EPC-1-V35A-M-4 BROWN EPC-1-V35A-M-4 BLACK	SAME AS ABOVE BUT 4 FEET LONG.
2935030005 2935030105		EPC-1-V35A-M-5 BROWN EPC-1-V35A-M-5 BLACK	SAME AS ABOVE BUT 5 FEET LONG.
29350300YY 29350301YY		EPC-1-V35A-M-YY BROWN EPC-1-V35A-M-YY BLACK	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH

MARK II EPC PATCH / V.35 E FEMALE CORDS IN METERS

GTC620880D GTCB07327M		EPC-1-V35WF-0.5M BROWN EPC-1-V35WF-0.5M BLACK	THIS IS A ½ METER LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A V.35F CONNECTOR WITH WINCHESTER HARDWARE AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTC620881D GTCB07328M		EPC-1-V35WF-1.0M BROWN EPC-1-V35WF-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTC620882D GTCB07329M		EPC-1-V35WF-1.5M BROWN EPC-1-V35WF-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTC620884D GTCB06280M		EPC-1- V35WF-2.0M BROWN EPC-1- V35WF-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTC620885D GTCB06281M		EPC-1- V35WF-3.0M BROWN EPC-1- V35WF-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTC620886D GTCB06282M		EPC-1- V35WF-4.0M BROWN EPC-1- V35WF-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTC620887D GTCB06283M		EPC-1- V35WF-5.0M BROWN EPC-1- V35WF-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II EPC PATCH / V.35 E MALE CORDS IN METERS

GTC620872D GTCB06284M		EPC-1-V35WM-0.5M BROWN EPC-1-V35WM-0.5M BLACK	THIS IS A ½ METER LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A V.35F CONNECTOR WITH WINCHESTER HARDWARE AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTC620873D GTCB06289M		EPC-1-V35WM-1.0M BROWN EPC-1-V35WM-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTC620874D GTCB06290M		EPC-1-V35WM-1.5M BROWN EPC-1-V35WM-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTC620876D GTCB06285M		EPC-1- V35WM-2.0M BROWN EPC-1- V35WM-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB03346M GTCB06286M		EPC-1- V35WM-3.0M BROWN EPC-1- V35WM-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTC620875D GTCB06287M		EPC-1- V35WM-4.0M BROWN EPC-1- V35WM-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB05063M GTCB06228M		EPC-1- V35WM-5.0M BROWN EPC-1- V35WM-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II
EPC PATCH / V.36
CORDS

MARK II EPC PATCH / V.36 FEMALE CORDS IN METERS

GTCB07110M GTCB07636M		EPC-1-V36F-0.5M BROWN EPC-1-V36F-0.5M BLACK	THIS IS A ½ METER LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A DB37F WITH 440 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB07105M GTCB07637M		EPC-1-V36F-1.0M BROWN EPC-1-V36F-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB07111M GTCB07638M		EPC-1-V36F-1.5M BROWN EPC-1-V36F-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB07106M GTCB07632M		EPC-1-V36F-2.0M BROWN EPC-1-V36F-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB07107M GTCB07633M		EPC-1-V36F-3.0M BROWN EPC-1-V36F-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB07108M GTCB07634M		EPC-1-V36F-4.0M BROWN EPC-1-V36F-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB07109M GTCB07635M		EPC-1-V36F-5.0M BROWN EPC-1-V36F-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

MARK II EPC PATCH / V.36 FEMALE CORDS IN METERS

GTCB17110M GTCB17636M		EPC-1-V36F-M2.6-0.5M BROWN EPC-1-V36F-M2.6-0.5M BLACK	THIS IS A ½ METER LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A DB37F WITH M2.6 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB17105M GTCB17637M		EPC-1-V36F-M2.6-1.0M BROWN EPC-1-V36F-M.26-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB17111M GTCB17638M		EPC-1-V36F-M2.6-1.5M BROWN EPC-1-V36F-M2.6-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB17106M GTCB17632M		EPC-1-V36F-M2.6-2.0M BROWN EPC-1-V36F-M2.6-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB17107M GTCB17633M		EPC-1-V36F-M2.6-3.0M BROWN EPC-1-V36F-M2.6-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB17108M GTCB17634M		EPC-1-V36F-M2.6-4.0M BROWN EPC-1-V36F-M2.6-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB17109M GTCB17635M		EPC-1-V36F-M2.6-5.0M BROWN EPC-1-V36F-M2.6-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II EPC PATCH / V.36 MALE CORDS IN METERS

GTCB07201M GTCB07401M		EPC-1-V36M-0.5M BROWN EPC-1-V36M-0.5M BLACK	THIS IS A ½ METER LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A DB37M WITH 440 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB07202M GTCB07402M		EPC-1-V36M-1.0M BROWN EPC-1-V36M-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB07203M GTCB07403M		EPC-1-V36M-1.5M BROWN EPC-1-V36M-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB07204M GTCB07404M		EPC-1-V36M-2.0M BROWN EPC-1-V36M-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB07205M GTCB07405M		EPC-1-V36M-3.0M BROWN EPC-1-V36M-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB07206M GTCB07406M		EPC-1-V36M-4.0M BROWN EPC-1-V36M-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB07207M GTCB07407M		EPC-1-V36M-5.0M BROWN EPC-1-V36M-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II EPC PATCH / V.36 MALE CORDS IN METERS

GTCB17201M GTCB17401M		EPC-1-V36M-M2.6-0.5M BROWN EPC-1-V36M-M2.6-0.5M BLACK	THIS IS A ½ METER LONG PATCH CORD WITH A MARK 2 PATCH CIRCUIT BREAKING PLUG ON ONE END AND A DB36F WITH M2.6 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB17202M GTCB17402M		EPC-1-V36M-M2.6-1.0M BROWN EPC-1-V36M-M.26-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB17203M GTCB17403M		EPC-1-V36M-M2.6-1.5M BROWN EPC-1-V36M-M2.6-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB17204M GTCB17404M		EPC-1-V36M-M2.6-2.0M BROWN EPC-1-V36M-M2.6-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB17205M GTCB17405M		EPC-1-V36M-M2.6-3.0M BROWN EPC-1-V36M-M2.6-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB17206M GTCB17406M		EPC-1-V36M-M2.6-4.0M BROWN EPC-1-V36M-M2.6-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB17207M GTCB17407M		EPC-1-V36M-M2.6-5.0M BROWN EPC-1-V36M-M2.6-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II
EMC
MONITOR CORDS

MARK II EMC MONITOR CORDS IN FEET

1058900201 1058901201		EMC-M-1 BROWN EMC-M-1 BLACK	THIS IS A 1 FOOT LONG MONITOR CORD WITH MARK 2 PATCH NON-CIRCUIT BREAKING PLUGS ON BOTH ENDS. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
1058900202 1058901202		EMC-M -2 BROWN EMC-M -2 BLACK	SAME AS ABOVE BUT 2 FEET LONG.
1058900203 1058901203		EMC-M -3 BROWN EMC-M -3 BLACK	SAME AS ABOVE BUT 3 FEET LONG.
1058900204 1058901204		EMC-M -4 BROWN EMC-M -4 BLACK	SAME AS ABOVE BUT 4 FEET LONG.
1058900205 1058901205		EMC-M-5 BROWN EMC-M-5 BLACK	SAME AS ABOVE BUT 5 FEET LONG.
10589002YY 10589012YY		EMC-M-YY BROWN EMC-M-YY BLACK	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH

MARK II EMC MONITOR CORDS IN METERS

GTCB06169M GTCB16169M		EMC-M-0.5M BROWN EMC-M-.05M BLACK	THIS IS A ½ METER LONG MONITOR CORD WITH MARK 2 PATCH NON-CIRCUIT BREAKING PLUGS ON BOTH ENDS. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB06170M GTCB16170M		EMC-M-1.0M BROWN EMC-M-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB06171M GTCB16171M		EMC-M-1.5M BROWN EMC-M-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB06172M GTCB16172M		EMC-M-2.0M BROWN EMC-M-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB06173M GTCB16173M		EMC-M-3.0M BROWN EMC-M-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB06174M GTCB16174M		EMC-M-4.0M BROWN EMC-M-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB06175M GTCB16175M		EMC-M-5.0M BROWN EMC-M-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II
EMC / EPC
MONITOR / PATCH CORDS

MARK II EMC/EPC MONITOR / PATCH CORDS IN FEET

1058900101 1058901101		EMC-P-1 BROWN EMC-P-1 BLACK	THIS IS A 1 FOOT LONG MONITOR CORD WITH MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A MARK 2 PATCH CIRCUIT BREAKING PLUG ON THE OTHER END. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
1058900102 1058901102		EMC-P -2 BROWN EMC-P -2 BLACK	SAME AS ABOVE BUT 2 FEET LONG.
1058900103 1058901103		EMC-P -3 BROWN EMC-P -3 BLACK	SAME AS ABOVE BUT 3 FEET LONG.
1058900104 1058901104		EMC-P -4 BROWN EMC-P -4 BLACK	SAME AS ABOVE BUT 4 FEET LONG.
1058900105 1058901105		EMC-P-5 BROWN EMC-P-5 BLACK	SAME AS ABOVE BUT 5 FEET LONG.
10589001YY 10589011YY		EMC-P-YY BROWN EMC-P-YY BLACK	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH

MARK II EMC/EPC MONITOR / PATCH CORDS IN METERS

GTCB06176M GTCB16176M		EMC-EPC-0.5M BROWN EMC-EPC-0.5M BLACK	THIS IS A ½ METER LONG MONITOR CORD WITH MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A MARK 2 PATCH CIRCUIT BREAKING PLUG ON THE OTHER END . THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB06177M GTCB16177M		EMC-EPC-1.0M BROWN EMC-EPC-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB06178M GTCB16178M		EMC-EPC-1.5M BROWN EMC-EPC-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB06179M GTCB16179M		EMC-EPC-2.0M BROWN EMC-EPC-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB06181M GTCB16181M		EMC-EPC-3.0M BROWN EMC-EPC-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB06182M GTCB16182M		EMC-EPC-4.0M BROWN EMC-EPC-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB06183M GTCB16183M		EMC-EPC-5.0M BROWN EMC-EPC-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II
EMC MONITOR / EIA (V.24)
CORDS

MARK II EMC MONITOR / EIA (V.24) FEMALE CORDS IN FEET

1058900301 1058901301		EMC-EF-1 BROWN EMC-EF-1 BLACK	THIS IS A 1 FOOT LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A DB25F WITH 440 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
1058900302 1058901302		EMC-EF-2 BROWN EMC-EF-2 BLACK	SAME AS ABOVE BUT 2 FEET LONG.
1058900303 1058901303		EMC-EF-3 BROWN EMC-EF-3 BLACK	SAME AS ABOVE BUT 3 FEET LONG.
1058900304 1058901304		EMC-EF-4 BROWN EMC-EF-4 BLACK	SAME AS ABOVE BUT 4 FEET LONG.
1058900305 1058901305		EMC-EF-5 BROWN EMC-EF-5 BLACK	SAME AS ABOVE BUT 5 FEET LONG.
10589003YY 10589013YY		EMC-EF-YY BROWN EMC-EF-YY BLACK	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH

MARK II EMC MONITOR / V.24 (EIA) FEMALE CORDS IN METERS

GTCB06155M GTCB16155M		EMC-V24F-0.5M BROWN EMC-V24F-0.5M BLACK	THIS IS A ½ METER LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A DB25F WITH 440 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB06156M GTCB16156M		EMC-V24F-1.0M BROWN EMC-V24F-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB06157M GTCB16157M		EMC-V24F-1.5M BROWN EMC-V24F-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB06158M GTCB16158M		EMC-V24F-2.0M BROWN EMC-V24F-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB06159M GTCB16159M		EMC-V24F-3.0M BROWN EMC-V24F-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB06160M GTCB16160M		EMC-V24F-4.0M BROWN EMC-V24F-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB06161M GTCB16161M		EMC-V24F-5.0M BROWN EMC-V24F-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II EMC MONITOR / V.24 (EIA)


FEMALE CORDS IN METERS

GTCB06155J GTCB16155J		EMC-V24F-M2.6-0.5M BROWN EMC-V24F-M2.6-0.5M BLACK	THIS IS A ½ METER LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A DB25F WITH M2.6 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB06156J GTCB16156J		EMC-V24F-M2.6-1.0M BROWN EMC-V24F-M.26-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB06157J GTCB16157J		EMC-V24F-M2.6-1.5M BROWN EMC-V24F-M2.6-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB06158J GTCB16158J		EMC-V24F-M2.6-2.0M BROWN EMC-V24F-M2.6-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB06159J GTCB16159J		EMC-V24F-M2.6-3.0M BROWN EMC-V24F-M2.6-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB06160J GTCB16160J		EMC-V24F-M2.6-4.0M BROWN EMC-V24F-M2.6-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB06161J GTCB16161J		EMC-V24F-M2.6-5.0M BROWN EMC-V24F-M2.6-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II EMC MONITOR / EIA (V.24) MALE CORDS IN FEET


1058900401 1058901401		EMC-EM-1 BROWN EMC-EM-1 BLACK	THIS IS A 1 FOOT LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A DB25M WITH 440 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
1058900402 1058901402		EMC-EM-2 BROWN EMC-EM-2 BLACK	SAME AS ABOVE BUT 2 FEET LONG.
1058900403 1058901403		EMC-EM-3 BROWN EMC-EM-3 BLACK	SAME AS ABOVE BUT 3 FEET LONG.
1058900404 1058901404		EMC-EM-4 BROWN EMC-EM-4 BLACK	SAME AS ABOVE BUT 4 FEET LONG.
1058900405 1058901405		EMC-EM-5 BROWN EMC-EM-5 BLACK	SAME AS ABOVE BUT 5 FEET LONG.
10589004YY 10589014YY		EMC-EM-YY BROWN EMC-EM-YY BLACK	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH



EMC-EM

MARK II EMC MONITOR / V.24 (EIA) MALE CORDS IN METERS

GTCB06162M GTCB16162M		EMC-V24M-0.5M BROWN EMC-V24M-0.5M BLACK	THIS IS A ½ METER LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A DB25M WITH 440 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB06163M GTCB16163M		EMC-V24M-1.0M BROWN EMC-V24M-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB06164M GTCB06164M		EMC-V24M-1.5M BROWN EMC-V24M-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB06165M GTCB16165M		EMC-V24M-2.0M BROWN EMC-V24M-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB06167M GTCB16167M		EMC-V24M-3.0M BROWN EMC-V24M-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB06168M GTCB16168M		EMC-V24M-4.0M BROWN EMC-V24M-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB06169M GTCB16169M		EMC-V24M-5.0M BROWN EMC-V24M-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG



EMC-V24M

**OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom*
FOR PART NUMBER AND PRICING**

MARK II EMC MONITOR / V.24 (EIA)

MALE CORDS IN METERS

GTCB06162J GTCB16162J		EMC-V24M-M2.6-0.5M BROWN EMC-V24M-M2.6-0.5M BLACK	THIS IS A ½ METER LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A DB25M WITH M2.6 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB06163J GTCB16163J		EMC-V24M-M2.6-1.0M BROWN EMC-V24M-M.26-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB06164J GTCB06164J		EMC-V24M-M2.6-1.5M BROWN EMC-V24M-M2.6-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB06165J GTCB16165J		EMC-V24M-M2.6-2.0M BROWN EMC-V24M-M2.6-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB06167J GTCB16167J		EMC-V24M-M2.6-3.0M BROWN EMC-V24M-M2.6-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB06168J GTCB16168J		EMC-V24M-M2.6-4.0M BROWN EMC-V24M-M2.6-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB06169J GTCB16169J		EMC-V24M-M2.6-5.0M BROWN EMC-V24M-M2.6-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II
EMC / X.21
MONITOR CORDS

MARK II EMC MONITOR / X.21 FEMALE CORDS IN METERS

702700 712700		EMC-X21F-0.5M BROWN EMC-X21F-0.5M BLACK	THIS IS A ½ METER LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A DB15F WITH 440 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
702701 712701		EMC-X21F-1.0M BROWN EMC-X21F-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
702703 712703		EMC-X21F-1.5M BROWN EMC-X21F-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
702704 712704		EMC-X21F-2.0M BROWN EMC-X21F-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
702705 712705		EMC-X21F-3.0M BROWN EMC-X21F-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
702706 712706		EMC-X21F-4.0M BROWN EMC-X21F-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
702707 712707		EMC-X21F-5.0M BROWN EMC-X21F-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

MARK II EMC MONITOR / X.21 FEMALE CORDS IN METERS

722700 732700		EMC-X21F-M2.6-0.5M BROWN EMC-X21F-M2.6-0.5M BLACK	THIS IS A ½ METER LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A DB15F WITH M2.6 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
722701 732701		EMC-X21F-M2.6-1.0M BROWN EMC-X21F-M.26-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
722703 732703		EMC-X21F-M2.6-1.5M BROWN EMC-X21F-M2.6-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
722704 732704		EMC-X21F-M2.6-2.0M BROWN EMC-X21F-M2.6-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
722705 732705		EMC-X21F-M2.6-3.0M BROWN EMC-X21F-M2.6-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
722706 732706		EMC-X21F-M2.6-4.0M BROWN EMC-X21F-M2.6-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
722707 732707		EMC-X21F-M2.6-5.0M BROWN EMC-X21F-M2.6-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II EMC MONITOR / X.21 MALE CORDS IN METERS

702600 712600		EMC-X21M-0.5M BROWN EMC-X21M-0.5M BLACK	THIS IS A ½ METER LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A DB15M WITH 440 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
702601 712601		EMC-X21M-1.0M BROWN EMC-X21M-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
702606 712606		EMC-X21M-1.5M BROWN EMC-X21M-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
702602 712602		EMC-X21M-2.0M BROWN EMC-X21M-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
702603 712603		EMC-X21M-3.0M BROWN EMC-X21M-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
702604 712604		EMC-X21M-4.0M BROWN EMC-X21M-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
702605 712605		EMC-X21M-5.0M BROWN EMC-X21M-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II EMC MONITOR / X.21 MALE CORDS IN METERS

722600 732600		EMC-X21M-M2.6-0.5M BROWN EMC-X21M-M2.6-0.5M BLACK	THIS IS A ½ METER LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A DB15F WITH M2.6 MOUNTING SCREWS AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
722601 732601		EMC-X21M-M2.6-1.0M BROWN EMC-X21M-M.26-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
722606 732606		EMC-X21M-M2.6-1.5M BROWN EMC-X21M-M2.6-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
722602 732602		EMC-X21M-M2.6-2.0M BROWN EMC-X21M-M2.6-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
722603 732603		EMC-X21M-M2.6-3.0M BROWN EMC-X21M-M2.6-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
722604 732604		EMC-X21M-M2.6-4.0M BROWN EMC-X21M-M2.6-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
722605 732605		EMC-X21M-M2.6-5.0M BROWN EMC-X21M-M2.6-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II
EMC MONITOR / V.35
CORDS

MARK II EMC MONITOR / V.35 U FEMALE CORDS IN FEET

1058900701 1058901701		EMC-VW-F-1 BROWN EMC-VW-F-1 BLACK	THIS IS A 1 FOOT LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A V.35F CONNECTOR WITH WINCHESTER HARDWARE AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
1058900702 1058901702		EMC-VW-F-2 BROWN EMC-VW-F-2 BLACK	SAME AS ABOVE BUT 2 FEET LONG.
1058900703 1058901703		EMC-VW-F-3 BROWN EMC-VW-F-3 BLACK	SAME AS ABOVE BUT 3 FEET LONG.
1058900704 1058901704		EMC-VW-F-4 BROWN EMC-VW-F-4 BLACK	SAME AS ABOVE BUT 4 FEET LONG.
1058900705 1058901705		EMC-VW -F-5 BROWN EMC-VW -F-5 BLACK	SAME AS ABOVE BUT 5 FEET LONG.
10589007YY 10589017YY		EMC-VW -F-YY BROWN EMC-VW -F-YY BLACK	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH

MARK II EMC MONITOR / V.35 U FEMALE CORDS IN FEET

1058900501 1058902501		EMC-VA-F-1 BROWN EMC-VA-F-1 BLACK	THIS IS A 1 FOOT LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A V.35F CONNECTOR WITH AMP HARDWARE AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
1058900502 1058902502		EMC-VA -F-2 BROWN EMC-VA -F-2 BLACK	SAME AS ABOVE BUT 2 FEET LONG.
1058900503 1058902503		EMC-VA -F-3 BROWN EMC-VA -F-3 BLACK	SAME AS ABOVE BUT 3 FEET LONG.
1058900504 1058902504		EMC-VA -F-4 BROWN EMC-VA -F-4 BLACK	SAME AS ABOVE BUT 4 FEET LONG.
1058900505 1058902505		EMC-VA -F-5 BROWN EMC-VA -F-5 BLACK	SAME AS ABOVE BUT 5 FEET LONG.
10589005YY 10589025YY		EMC-VA-F-YY BROWN EMC-VA -F-YY BLACK	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH

MARK II EMC MONITOR / V.35 U MALE CORDS IN FEET

1058900801 1058901801		EMC-VW-M-1 BROWN EMC-VW-M-1 BLACK	THIS IS A 1 FOOT LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A V.35M CONNECTOR WITH WINCHESTER HARDWARE AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
1058900802 1058901802		EMC-VW-M-2 BROWN EMC-VW-M-2 BLACK	SAME AS ABOVE BUT 2 FEET LONG.
1058900803 1058901803		EMC-VW-M-3 BROWN EMC-VW-M-3 BLACK	SAME AS ABOVE BUT 3 FEET LONG.
1058900804 1058901804		EMC-VW-M-4 BROWN EMC-VW-M-4 BLACK	SAME AS ABOVE BUT 4 FEET LONG.
1058900805 1058901805		EMC-VW-M-5 BROWN EMC-VW-M-5 BLACK	SAME AS ABOVE BUT 5 FEET LONG.
10589008YY 10589018YY		EMC-VW-M-YY BROWN EMC-VW-M-YY BLACK	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH

MARK II EMC MONITOR / V.35 U MALE CORDS IN FEET

1058900601 1058902601		EMC-VA-M-1 BROWN EMC-VA-M-1 BLACK	THIS IS A 1 FOOT LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A V.35M CONNECTOR WITH AMP HARDWARE AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
1058900602 1058902602		EMC-VA-M-2 BROWN EMC-VA-M-2 BLACK	SAME AS ABOVE BUT 2 FEET LONG.
1058900603 1058902603		EMC-VA-M-3 BROWN EMC-VA-M-3 BLACK	SAME AS ABOVE BUT 3 FEET LONG.
1058900604 1058902604		EMC-VA-M-4 BROWN EMC-VA-M-4 BLACK	SAME AS ABOVE BUT 4 FEET LONG.
1058900605 1058902605		EMC-VA-M-5 BROWN EMC-VA-M-5 BLACK	SAME AS ABOVE BUT 5 FEET LONG.
10589006YY 10589026YY		EMC-VA-M-YY BROWN EMC-VA-M-YY BLACK	SAME AS ABOVE WITH YY = CUSTOMER SPECIFIED LENGTH

MARK II EMC MONITOR / V.35 E FEMALE CORDS IN METERS

GTCB06639M GTCB16639M		EMC-V35WF-0.5M BROWN EMC-V35WF-0.5M BLACK	THIS IS A ½ METER LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A V.35F CONNECTOR WITH WINCHESTER HARDWARE AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST / MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB06640M GTCB16640M		EMC-V35WF-1.0M BROWN EMC-V35WF-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB06641M GTCB16641M		EMC-V35WF-1.5M BROWN EMC-V35WF-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB06642M GTCB16642M		EMC-V35WF-2.0M BROWN EMC-V35WF-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB06643M GTCB16643M		EMC-V35WF-3.0M BROWN EMC-V35WF-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB06644M GTCB16644M		EMC-V35WF-4.0M BROWN EMC-V35WF-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB06645M GTCB16645M		EMC-V35WF-5.0M BROWN EMC-V35WF-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II EMC MONITOR / V.35 E MALE CORDS IN METERS

GTCB06646M GTCB16646M		EMC-V35WM-0.5M BROWN EMC-V35WM-0.5M BLACK	THIS IS A ½ METER LONG MONITOR CORD WITH A MARK 2 PATCH NON-CIRCUIT BREAKING PLUG ON ONE END AND A V.35M CONNECTOR WITH WINCHESTER HARDWARE AT THE OTHER END FOR CONNECTING TO STAND ALONE TEST/MONITOR EQUIPMENT. THESE CABLES ARE COMPATIBLE WITH ALL DYNAPATCH®, DYNASWITCH®, EAS, AND EAS A/B MODULES THAT HAVE THE MARK 2 PATCH JACK.
GTCB06647M GTCB16647M		EMC-V35WM-1.0M BROWN EMC-V35WM-1.0M BLACK	SAME AS ABOVE BUT 1 METER LONG.
GTCB06648M GTCB16648M		EMC-V35WM-1.5M BROWN EMC-V35WM-1.5M BLACK	SAME AS ABOVE BUT 1½ METERS LONG.
GTCB06649M GTCB16649M		EMC- V35WM-2.0M BROWN EMC- V35WM-2.0M BLACK	SAME AS ABOVE BUT 2 METERS LONG.
GTCB06651M GTCB16651M		EMC- V35WM-3.0M BROWN EMC- V35WM-3.0M BLACK	SAME AS ABOVE BUT 3 METERS LONG
GTCB06652M GTCB16652M		EMC- V35WM-4.0M BROWN EMC- V35WM-4.0M BLACK	SAME AS ABOVE BUT 4 METERS LONG
GTCB06653M GTCB16653M		EMC- V35WM-5.0M BROWN EMC- V35WM-5.0M BLACK	SAME AS ABOVE BUT 5 METERS LONG

OTHER METER LENGTHS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

MARK II
LOOPBACK PLUGS

MARK II LOOPBACK PLUGS

2186010010 2186010110		EPP-LB-24-V010 BROWN EPP-LB-24-V010 BLACK	MARK II CIRCUIT BREAKING PATCH PLUG WITH LOOPBACK WIRING. LOOPBACK CONNECTIONS ARE IDENTIFIED BY MARK II HOUSING MARKINGS. REFER TO REFERENCE CHARTS EIA (2-3) MARK II [A-B].
2186010011 2186010111		EPP-LB-24-V011 BROWN EPP-LB-24-V011 BLACK	EIA (2-3) (4-5) (6-8-20) MARK II [A-B] [C-D] [E-H-7]
2186010012 2186010112		EPP-LB-24-V012 BROWN EPP-LB-24-V012 BLACK	EIA (2-3) (7-9) MARK II [A-B] [F-J]
2186010013 2186010113		EPP-LB-24-V013 BROWN EPP-LB-24-V013 BLACK	EIA (2-3-5) (17-15) MARK II [A-B-D] [4-2]
2186010014 2186010114		EPP-LB-24-V014 BROWN EPP-LB-24-V014 BLACK	EIA (2-3) (5-6-20) MARK II [A-B] [D-E-7]
2186010015 2186010115		EPP-LB-24-V015 BROWN EPP-LB-24-V015 BLACK	EIA (2-3) (17-24) (4-8) (6-20) MARK II [A-B] [4-11] [C-H] [E-7]
2186010016 2186010116		EPP-LB-24-V016 BROWN EPP-LB-24-V016 BLACK	EIA (2-3) (14-16) (5-20) (13-23) (4-8) (19-10) (15-24-17) (12-11-9) MARK II [A-B] [1-3] [D-7] [N-10] [C-H] [6-K] [2-11-4] [M-L-J]
2186010017 2186010117		EPP-LB-24-V017 BROWN EPP-LB-24-V017 BLACK	EIA (2-3) (4-5) (6-8-20) (17-24) MARK II [A-B] [C-D] [E-H-7] [4-11]
2186010018 2186010118		EPP-LB-24-V018 BROWN EPP-LB-24-V018 BLACK	EIA (2-25) (3-24) (4-23) (5-22) (6-21) (7-20) (8-19) (9-18) (10-17) (11-16) (12-15) (13-14) MARK II [A-12] [B-11] [C-10] [D-9] [E-8] [F-7] [H-6] [J-5] [K-4] [L-3] [M-2] [N-1]
2186010019 2186010119		EPP-LB-24-V019 BROWN EPP-LB-24-V019 BLACK	EIA (2-3) (15-24-17) MARK II [A-B] [2-11-4]

MARK II LOOPBACK PLUGS

2186010020 2186010120		EPP-LB-24-V020 BROWN EPP-LB-24-V020 BLACK	EIA (2-3) (4-5) (15-17) (6-8-20) MARK II [A-B] [CD] [2-4] [E-H-7]
2186010021 2186010121		EPP-LB-24-V021 BROWN EPP-LB-24-V021 BLACK	EIA (11-9) (12-10) (23-18) (21-25) (4-5-22) MARK II [L-J] [M-K] [10-5] [8-12] [C-D-9]
2186010022 2186010122		EPP-LB-24-V022 BROWN EPP-LB-24-V022 BLACK	EIA (2-3) (13-19) (4-5) (9-11-12) (15-17-24) (10-22-23) (6-8-20) MARK II [A-B] [N-6] [C-D] [J-L-M] [2-4-11] [K-9-10] [E-H-7]
2186010023 2186010123		EPP-LB-24-V023 BROWN EPP-LB-24-V023 BLACK	EIA (9-14) (10-15) (11-16) (12-17) MARK II [J-1] [K-2] [L-3] [M-4]
2186010024 2186010124		EPP-LB-24-V024 BROWN EPP-LB-24-V024 BLACK	EIA (2-7) MARK II [A-F]

OTHER CONFIGURATIONS AVAILABLE, PLEASE CONTACT *NSGDatacom* FOR PART NUMBER AND PRICING

**MARK II
CABLE END KITS
AND
TERMINATING PLUG**

MARK II CORD END KITS AND TERMINATING PLUGS

GTC130210D GTC130211D		EPP-1-24-FW BROWN EPP-1-24-FW BLACK	<p>THIS KIT OF PARTS ALLOWS THE CUSTOMER TO MAKE A CIRCUIT BREAKING PATCH CORD END, OR A LOOPBACK PLUG, OR A TERMINATING PLUG. THE KIT CONTAINS BOTH SIDES OF THE MARK II CIRCUIT BREAKING CABLE END, 24 CONTACTS, CONTACT HOUSING, 2 SCREWS AND NUTS FOR CLOSING THE UNIT AND 1 CAP FILLER TO CLOSE OFF THE CABLE HOLE. (CUSTOMER MUST PROVIDE THEIR OWN WIRE AND RESISTORS IF MAKING EITHER LOOPBACK OR TERMINATING PLUGS)</p>
GTC130212D GTC130213D		EMP-1-24-FW TAN EMP-1-24-FW BLACK	<p>THIS KIT OF PARTS ALLOWS THE CUSTOMER TO MAKE A NON-CIRCUIT BREAKING PATCH CORD END. THE KIT CONTAINS BOTH SIDES OF THE MARK II CIRCUIT BREAKING CABLE END, 24 CONTACTS, CONTACT HOUSING, 2 SCREWS AND NUTS FOR CLOSING THE UNIT.</p>
2018600001 2018600002 2018600005		EPP-1-24 BROWN EPP-1-24 BLACK EPP-1-24 GRAY	<p>MARK II CIRCUIT BREAKING TERMINATING PLUG FOR USE ON OPEN OR PATCHED DATA CHANNEL. 3.3K OHM TERMINATION SUPPLIED AS STANDARD.</p>